



B-LINE RTFA

Features and Specs

INCLUDES :

- Swivel Anchor Point
- 1.8m-15m
- Recessed Label Carry Handle
- 140Kg User Rating

CONFORMITY:

EN360:2002
VG11 RFU # 11.060.

CE 2233

ADDITIONAL FEATURES/ INFORMATION:

The B-LINE range of RTFA range from 1.8m-15m have a user rating of 140kg come in various lifeline, hook, and LE options.

SUITABLE INDUSTRIES



SCAFFOLDING



OIL & GAS



CONSTRUCTION



ROOFING



DEMOLITION



MAINTENANCE



BRICKWORK



TRANSPORTATION



STADIUM & EVENTS



FESTIVAL & STAGE



TV & FILM



RESCUE



ADDITIONAL FEATURES

B-LINE RTFA 3



- 1 Swivel Anchor Point**
to stop cable twist and to help the RTFA locate and swivel



- 2 Nylon housing**



- 3 Recessed Label**
for durability



- 4 HMPE Webbing**
for wear resistance and weight saving



- 5 External Shock Pack**
to absorb energy in a fall



- 6 Aluminium Scaffold Hook**
option also available with snap hook




ADDITIONAL FEATURES

B-LINE RTFA 6-15



- 1 Swivel Anchor Point**
to stop cable twist and to help the RTFA locate and swivel



- 2 Carry Handle**
to help with transportation and hanging



- 3 GF Nylon housing**



- 4 Recessed Label**
for durability




- 5 Spring Bumper Cable Guide**
to help with retraction lock out



- 6 Rubber Hand Grip**
to protect hands from the cable



- 7 Swivel Snap Hook**
double action swivel




ADDITIONAL FEATURES

B-LINE RTFA 1.8-15 LE



- 1 Swivel Anchor Point**
to stop cable twist and to help the RTFA locate and swivel



- 2 Carry Handle**
to help with transportation and hanging



- 3 GF Nylon housing**



- 4 Recessed Label**
for durability





- 5 Spring Bumper Cable Guide**
to help with retraction lock out



- 6 External Shock Pack**
to absorb energy in a fall



- 7 Swivel Snap Hook**
double action swivel



$R \geq 0.5\text{mm}$

ORDERING INFORMATION

PART NO	CONNECTOR	LE	LENGTH	MATERIALS	MAX USER WEIGHT (KG)
BR-RTFA-3WR	Aluminium Rebar Hook	No	3m	Webbing	140kg
BR-RTFA-6W	Swivel Snap Hook	No	6m	Webbing	
BR-RTFA-6C	Swivel Snap Hook	No	6m	Cable	
BR-RTFA-10C	Swivel Snap Hook	No	6m	Cable	
BR-RTFA-15C	Swivel Snap Hook	No	10m	Cable	

PART NO	CONNECTOR	LE	LENGTH	MATERIALS	MAX USER WEIGHT (KG)
BR-RTFA-1.8WR-LE	Alu Rebar Hook	Yes	1.8m	Webbing	140kg
BR-RTFA-1.8W-LE	Swivel Snap Hook	Yes	1.8m	Webbing	
BR-RTFA-3.5C-LE	Swivel Snap Hook	Yes	3.5m	Cable	
BR-RTFA-6C-LE	Swivel Snap Hook	Yes	6m	Cable	
BR-RTFA-10C-LE	Swivel Snap Hook	Yes	10m	Cable	
BR-RTFA-15C-LE	Swivel Snap Hook	Yes	15m	Cable	